

SUMAGIC® Plant Growth Regulator



Safety Data Sheet - GHS

1. IDENTIFICATION: CHEMICAL PRODUCT AND COMPANY

PRODUCT NAME: SUMAGIC® Plant Growth Regulator
EPA REGISTRATION NUMBER: 59639-37
VC NUMBER(S): 1556
SYNONYM(S): None
PRODUCT DESCRIPTION: Plant Growth Regulator

SUMAGIC® is a registered trademark of Sumitomo Chemical Co., Ltd.

MANUFACTURER/DISTRIBUTOR

VALENT U.S.A. LLC
P.O. Box 5075
4600 Norris Canyon Road
San Ramon, CA 94583

EMERGENCY TELEPHONE NUMBERS

HEALTH EMERGENCY OR SPILL (24 hr.):
(800) 892-0099
TRANSPORTATION (24 hr.): CHEMTREC
(800) 424-9300 or (202) 483-7616

PRODUCT INFORMATION

AGRICULTURAL PRODUCTS: (800) 682-5368

The current SDS is available through our website (www.valent.com), or by calling the product information numbers listed above.

2. HAZARDS IDENTIFICATION

This product is an EPA FIFRA registered pesticide. Some classifications on this SDS are not the same as the FIFRA-required classifications on the product label. Certain sections of this SDS are superseded by federal law under EPA FIFRA for a registered pesticide. Please see Section 15, REGULATORY INFORMATION for an explanation.

Classification - (per U.S. OSHA 29 CFR 1910.1200 (Hazcom 2012))

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

Label elements

EMERGENCY OVERVIEW

Precautionary statements

Prevention
None

Response

Emergency Telephone: (800) 892-0099
REVISION NUMBER: 3

SDS NO.: 0042
REVISION DATE: 09/08/2020

Eyes None.
Skin None.
Inhalation None.
Ingestion None.
FIRE None.
Spill None.

Storage
None

Disposal
None

Hazards not otherwise classified (HNOC)

Other Information

- Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	TRADE SECRET
Uniconazole-P	83657-17-4	0.055	
Cyclohexanone	108-94-1	3	
Others	No CAS#	96.945	-

Other ingredients, which may be maintained as trade secrets, are any substances other than an active ingredient contained in this product. Some of these may be hazardous, but their identities are withheld because they are considered trade secrets. The hazards associated with the other ingredients are addressed in this document. Specific information on other ingredients for the management of exposures, spills, or safety assessments can be obtained by a treating physician or nurse by calling **(800) 892-0099** at any time.

4. FIRST AID MEASURES

EMERGENCY NUMBER (800) 892-0099

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **1-800-892-0099** for emergency medical treatment information.

EYE CONTACT:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN CONTACT:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person.

INHALATION:

Emergency Telephone: (800) 892-0099
 REVISION NUMBER: 3

SDS NO.: 0042
 REVISION DATE: 09/08/2020

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIAN:

None

5. FIRE FIGHTING MEASURES

Flash point °C

Flash point °F

Not applicable

EXTINGUISHING MEDIA:

Water fog, carbon dioxide, foam, dry chemical

Caution: Use of water spray when fighting fire may be inefficient.
Do not scatter spilled material with high pressure water streams

FLAMMABLE LIMITS IN AIR - LOWER (%):

Not applicable

FLAMMABLE LIMITS IN AIR - UPPER (%):

Not applicable

NFPA RATING:

Health:	1
Flammability:	0
Reactivity:	0
Special:	None

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using professional judgement. Values were not available in the guidelines or published evaluations prepared by the National Fire Protection Association, NFPA.

FIRE FIGHTING INSTRUCTIONS: Products of combustion from fires involving this material may be toxic. Smoke and fumes are extremely irritating to eyes, nose, throat and lungs. Avoid breathing smoke and mists. Avoid personnel and equipment contact with fallout and runoff. Minimize the amount of water used for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Decontaminate personal protective equipment and fire-fighting equipment before reuse. Read the entire document.

HAZARDOUS DECOMPOSITION PRODUCTS: Normal combustion forms carbon dioxide, water vapor and may produce: oxides of nitrogen, and toxic chlorine compounds. Incomplete combustion can produce carbon monoxide.

6. ACCIDENTAL RELEASE MEASURES

VALENT EMERGENCY PHONE NUMBER: (800) 892-0099

CHEMTREC EMERGENCY PHONE NUMBER: (800) 424-9300

OBSERVE PRECAUTIONS IN SECTION 8: PERSONAL PROTECTION

Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of the soil, surface water, or ground water. For additional spill response information refer to the North American Emergency Response Guidebook.

UN/NA NUMBER: Not applicable

EMERGENCY RESPONSE GUIDEBOOK NO.: Not applicable

FOR SPILLS ON LAND:

Emergency Telephone: (800) 892-0099
REVISION NUMBER: 3

SDS NO.: 0042
REVISION DATE: 09/08/2020

CONTAINMENT: Avoid runoff into storm sewers and ditches which lead to waterways. Contain spilled liquids with dry sorbents.

CLEANUP: Clean up spill immediately. Absorb spill with inert material (such as dry sand or earth), then place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

FOR SPILLS IN WATER:

CONTAINMENT: This material forms an emulsion in water. Stop or reduce contamination of any water. Isolate contaminated water.

CLEANUP: Clean up spill immediately. Absorb spill with inert material. Remove contaminated water for treatment or disposal.

7. HANDLING AND STORAGE

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

HANDLING:

Applicators and other handlers must wear long-sleeved shirt and long pants, chemical-resistant gloves, shoes plus socks. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE:

Keep pesticide in original container only. Store in a cool, dry, secure place. Do not put concentrate into food or drink containers. Do not dilute concentrate in food or drink containers. Store product in cool, dry, well-ventilated place away from seed, feed, fertilizers or other pesticides.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

ENGINEERING CONTROLS: Use in a well ventilated area. Eyewash and safety shower equipment should be available.

INFORMATION FOR END USERS

EYES & FACE: Do not get this material in your eyes. Eye contact can be avoided by wearing protective eyewear.

RESPIRATORY PROTECTION: Use this material only in well ventilated areas.

SKIN & HAND PROTECTION: Avoid contact with skin or clothing. Skin contact should be minimized by wearing protective clothing including long pants, long-sleeved shirt and shoes plus socks, and chemical-resistant gloves. Remove contaminated clothing. Wash before reuse.

EXPOSURE LIMITS

Chemical name	ACGIH Exposure Limits	OSHA Exposure Limits	Manufacturer's Exposure Limits
Uniconazole-P	None	None	None
Cyclohexanone	TWA: 20 ppm STEL: 50 ppm	TWA: 50 ppm TWA: 200 mg/m ³	None

Emergency Telephone: (800) 892-0099
REVISION NUMBER: 3

SDS NO.: 0042
REVISION DATE: 09/08/2020

	S*	(vacated) S* (vacated) TWA: 25 ppm (vacated) TWA: 100 mg/m ³	
Others	None	None	Not known

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid	Odor	Solvent
Appearance	Clear to slightly hazy	Odor threshold	No information available
Color	Colorless		

<u>PROPERTIES</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	6 - 8	
Melting point/freezing point	No information available	
Boiling point/boiling range	No information available	
Flash point	No information available	Not applicable
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper flammability limits	Not applicable	
Lower flammability limit	Not applicable	
Vapor pressure	No information available	
Vapor density	No information available	
Specific Gravity	1.006	@ 20 °C (68 °F)
Water solubility	Emulsifiable	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Viscosity	No data available	
Explosive properties	No information available	
Oxidizing properties	No information available	
Liquid Density	8.39 lb/gal	
Bulk density	No information available	

10. STABILITY AND REACTIVITY

Reactivity
No data available

Chemical stability
Stable under recommended storage conditions.

Possibility of Hazardous Reactions
None under normal processing.

Conditions to avoid
Freezing conditions.

Incompatible materials
None known based on information supplied.

Hazardous Decomposition Products
Normal combustion forms carbon dioxide, water vapor and may produce: oxides of nitrogen and toxic chlorine compounds. Incomplete combustion may produce carbon monoxide.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Oral Toxicity LD ₅₀ (rats)	> 5000 mg/kg	EPA Tox Category	IV
Dermal Toxicity LD ₅₀ (rabbits)	> 5000 mg/kg	EPA Tox Category	IV
Inhalation Toxicity LC ₅₀ (rats)	> 5.9 mg/L	EPA Tox Category	IV
Eye Irritation (rabbits)	Slightly irritating	EPA Tox Category	III
Skin Irritation (rabbits)	Non-irritating	EPA Tox Category	IV
Skin Sensitization (guinea pigs)	Non-sensitizer	EPA Tox Category	Not applicable

CARCINOGEN CLASSIFICATION

Chemical name	IARC Group 1 or 2	OSHA - Select Carcinogens	NTP Carcinogen List
Uniconazole-P	Not listed	Not listed	Not listed
Cyclohexanone	Group 3	Not listed	Not listed
Others	Not Listed	Not listed	Not listed

TOXICITY OF UNICONAZOLE-P TECHNICAL

SUBCHRONIC: Anemia, liver effects, thyroid changes and altered lipid metabolism were observed in rats treated with 1000 ppm or greater Uniconazole-P Technical in the diet for 3 months. The No-Observable-Effect-Level (NOEL) was 100 ppm (10 mg/kg/day). Anemia, liver effects, and clinical chemistry changes were observed in mice treated with 1000 ppm or greater Uniconazole-P Technical in the diet for 5 weeks. The No-Observable-Effect-Level (NOEL) was 300 ppm.

Liver effects, and clinical chemistry changes were observed in dogs treated with 20 mg/kg/day or greater Uniconazole-P Technical for 3 months. The No-Observable-Effect-Level (NOEL) was 5 mg/kg/day.

Skin irritation, and liver changes were observed at 25 mg/kg/day or higher in a 28-day dermal study in rats. The NOEL was 5 mg/kg/day.

CHRONIC/CARCINOGENICITY: A cancer bioassay in mice revealed an increased incidence of liver tumors among males exposed to 210 mg/kg/day Uniconazole-P via the diet. There was no increase in tumors of any type in males exposed to 1-25 mg/kg/day or in any of the treated female groups (1.5-240 mg/kg/day). The biological significance of this finding is unclear because the tumors arose late in the study and fewer untreated animals were still alive at that time. Uniconazole-P was not carcinogenic in rats exposed to 0.4-40 mg/kg/day in the diet for a lifetime. The only toxic effects observed in rats were decreased body weight gains and changes in the blood chemistry and liver cell.

Repeated oral or dermal exposure to Uniconazole-P resulted in non-specific depression of the central nervous system and changes in the liver, kidney, and blood systems in rats, mice, and dogs at dose levels greater than 15, 140, and 20 mg/kg/day for the three species, respectively. The most prominent effects were produced in the liver. A chronic toxicity study in dogs revealed blood chemistry changes, increased liver, kidney, and adrenal weights, and decreased thymus weights at levels of 20-200 mg/kg/day. The only cellular effect observed was liver cell enlargement.

DEVELOPMENTAL TOXICITY: In teratology studies, minor skeletal variations were observed in the offspring of rats exposed to 25 mg/kg/day Uniconazole-P, a dose that was also toxic to the dam. The NOEL for this study was 5 mg/kg/day. No evidence of developmental toxicity or teratogenicity was seen in rabbits.

REPRODUCTION: Uniconazole-P did not produce malformations or adverse reproductive effects in a two-generation rat reproduction study.

MUTAGENICITY: Genetic toxicity tests in cultured mammalian cells and in mice indicate that Uniconazole-P may

damage genetic material, but only at dose levels that are severely toxic to the test organisms. Uniconazole-P was not mutagenic in bacteria.

TOXICITY OF OTHER INGREDIENTS:

Overexposure to cyclohexanone may cause cataracts, liver and kidney damage; and it is reported to effect the fetus in animal studies.

For a summary of the potential for adverse health effects from exposure to this product, refer to Section 2. For information regarding regulations pertaining to this product, refer to Section 15.

12. ECOLOGICAL INFORMATION**AVIAN TOXICITY:**

Uniconazole-P Technical is toxic to avian species. The following results were obtained from studies with Uniconazole-P Technical:

Oral LD₅₀ bobwhite quail: 1461 mg/kg
Oral LD₅₀ mallard duck: >2315 mg/kg
Dietary LC₅₀ bobwhite quail: >5782 ppm
Dietary LC₅₀ mallard duck: 3345 ppm
One generation reproduction, bobwhite quail: NOEC = 320 ppm
One generation reproduction, mallard duck: NOEC = 80 ppm, treatment related effects observed at 320 ppm

AQUATIC ORGANISM TOXICITY: Uniconazole-P Technical is toxic to freshwater fish, to freshwater invertebrates, to estuarine/marine fish, and to estuarine/marine invertebrates based on the following tests:

96-hour LC₅₀ rainbow trout: 14.8 mg/L
96-hour LC₅₀ bluegill sunfish: 8.2 mg/L
96-hour LC₅₀ carp: 7.5 mg/L
48-hour LC₅₀ Daphnia magna: >10 mg/L

OTHER NON-TARGET ORGANISM TOXICITY:

Uniconazole-P Technical is not toxic to bees. No mortality was produced in an acute contact LC₅₀ in bees at 20 µg/bee.

OTHER ENVIRONMENTAL INFORMATION:

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters. See Directions for Use on product label for additional precautions and restrictions.

13. DISPOSAL CONSIDERATIONS

END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL RECOMMENDATIONS.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Open dumping is prohibited.

CONTAINER DISPOSAL:

CONTAINERS FIVE GALLONS AND UNDER:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly

after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure 2 more times.

CONTAINERS OVER FIVE GALLONS:/50 lbs.

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into mix tank. Fill the container 1/4 full with solvent used to formulate the end-product. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

DISPOSAL METHODS: Check government regulations and local authorities for approved disposal of this material. Dispose of in accordance with applicable laws and regulations.

14. TRANSPORTATION INFORMATION

DOT (ground) SHIPPING NAME: Not regulated for domestic ground transport by U.S. DOT

EMERGENCY RESPONSE

GUIDEBOOK NO.: Not applicable

ICAO/IATA SHIPPING NAME: UN 3082 Environmentally Hazardous Substance, Liquid, N.O.S. (Uniconazole-P), 9, III, Marine Pollutant

REMARKS: •Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from Dangerous Goods regulations – see IATA Special Provision A197.

IMDG SHIPPING NAME: UN 3082 Environmentally Hazardous Substance, Liquid, N.O.S. (Uniconazole-P), 9, III, Marine Pollutant

REMARKS: •Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from Dangerous Goods regulations – see IMDG 2.10.2.7

EMS NO.: F-A, S-F

15. REGULATORY INFORMATION

EPA-FIFRA LABEL INFORMATION THAT DIFFERS FROM OSHA-GHS REQUIREMENTS:

Pesticide products in the U.S. are registered by the EPA under FIFRA and are subject to certain labeling requirements under federal pesticide law. These requirements may differ from the classification criteria and hazard information required by OSHA GHS for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is the hazard information as required on the FIFRA pesticide label:

EPA FIFRA SIGNAL WORD: CAUTION

- *Causes eye irritation.*
- *Avoid contact with eyes or clothing*
- *Avoid breathing vapors or spray.*
- *Keep out of reach of children.*

PESTICIDE REGULATIONS: All pesticides are governed under FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

U.S. FEDERAL REGULATIONS: Ingredients in this product are reviewed against an inclusive list of federal

regulations. Therefore, the user should consult appropriate authorities. The federal regulations reviewed include: Clean Water Act, SARA, CERCLA, RCRA, DOT, TSCA and OSHA. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

Cyclohexanone

TSCA Inventory List -	*
CERCLA Reportable Quantity (RQ):	5000 lb (2270 kg)

Product Reportable Quantity (RQ): 20,000 gallons

SARA (311, 312):

Immediate Health:	Yes
Chronic Health:	Yes
Fire:	No
Sudden Pressure:	No
Reactivity:	No

STATE REGULATIONS: Each state may promulgate standards more stringent than the federal government. This section cannot encompass an inclusive list of all state regulations. Therefore, the user should consult state or local authorities. The state regulations reviewed include: California Proposition 65, California Directors List of Hazardous Substances, Massachusetts Right to Know, Michigan Critical Materials List, New Jersey Right to Know, Pennsylvania Right to Know, Rhode Island Right to Know and the Minnesota Hazardous Substance list. For Washington State Right to Know, see Section 8 for Exposure Limit information. For Louisiana Right to Know refer to SARA information listed under U.S. Regulations above. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

Cyclohexanone

California - Directors List of Hazardous Substances	Present
MA Right To Know	Present
NJ Right To Know	0570
PA Right To Know	Environmental hazard
RI Right To Know	Listed
MN Hazardous Substance	Skin

For information regarding potential adverse health effects from exposure to this product, refer to Sections 2 and 11.

16. OTHER INFORMATION

REASON FOR ISSUE:	Update the Manufacturer's address.
SDS NO.:	0042
EPA REGISTRATION NUMBER:	59639-37
REVISION NUMBER:	3
REVISION DATE:	09/08/2020
SUPERCEDES DATE:	04/11/2019
RESPONSIBLE PERSON(S):	Valent U.S.A. LLC, Corporate EH&S, (925) 256-2803

The information provided in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate at the time of preparation of the SDS. However, to the extent consistent with applicable law, Valent U.S.A. LLC and its subsidiaries or affiliates extend no warranties, make no representations, and assume no responsibility as to the accuracy, suitability, or completeness of such information. Additionally, to the extent consistent with applicable law, neither Valent U.S.A. LLC nor any of its subsidiaries or affiliates represents or guarantees that this information or product may be used without infringing the intellectual property rights of others. Except to the extent a particular use

and particular information are expressly stated on the product label, it is the users' own responsibility to determine the suitability of this information for their own particular use of this product. If necessary, contact Valent U.S.A. LLC to confirm that you have the most current product label and SDS.

This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use as required by the Occupational Health and Safety Act (29 CFR 1910.1200, "Hazcom").

The product label provides information specifically for product use in the ordinary course. All necessary hazard classification and appropriate precautionary use, storage, and disposal information is set forth on that label or labeling accompanying the pesticide or to which reference is made on the label.

2020 Valent U.S.A. LLC